

Boy or Girl? The Mother Decides!



They said, the man produces two types of sperms. Half of his sperms are masculine, and the other half are feminine. I do say the same thing. They also said, the woman stores one type of oocytes. Since all her stock of oocytes are female oocytes. Personally, I do not have the same concept. I insist that half of the woman's stock of oocytes are female, while the second half of her oocytes are male oocytes.

The Oogonium:

Such as every female somatic cell, the oogonium cell contains in its nucleus the sexual chromosomes XX. Conventionally, the two chromosomes X are unlike, functionally and in shape as well. One of them is not active, and forms the famous Barr Body in every female somatic cell. This concept is widely accepted nowadays in form of Lyon hypothesis.

However, I do not have the same concept. Since, I do believe Barr Body to be the female sexual chromosome itself, whereas the other chromosome X is just a chromosome porter, and non-sexual chromosome per se. Furthermore, I do consider **Barr Body** to be the sum of Adam's Rib and the host chromosome X; *figure (1)*.

For more details concerning my personal concept of Barr body, Adam's rib one can read my articles:

[**Barr Body, the Whole Story \(Innovated\)**](#) 
[**Adam and Eve, Adam's Rib could be the Original Sin**](#) 




Figure (1)

I do believe **Barr Body** to be the female sexual chromosome itself, whereas the other chromosome X is just a chromosome porter, and non-sexual chromosome per se. Furthermore, I do consider **Barr Body** to be the sum of Adam's Rib and the host chromosome X

Since, the oogonium begins its meiosis very early in the ovaries of the female fetus, the woman is born and she has already had all her stock of oocytes.

In meiosis, each oogonium equally distributes its chromatin between the two daughter cells that are the oocytes; *figure (2)*.



Figure (2)

The Oogonium In meiosis

Each oogonium equally distributes its chromatin between the two daughter cells that are the oocytes.

The oogonium begins its meiosis very early in the ovaries of the female fetus.

Therefore, the woman is born and she has already had all her stock of oocytes.

Conventionally, they think of similarity of the two oocytes. However, I do believe in their difference. One oocyte could be heavier than the other. The heavier would be the female oocyte, while the lighter should be the male oocyte. I attribute the difference of molecular weight between the two oocytes to Adam's rib; *figure (3)*.




Figure (3)

Conventionally, they think of similarity of the two oocytes. However, I do believe in their difference. One oocyte could be heavier than the other. The heavier would be the female oocyte, while the lighter should be the male oocyte. I attribute the difference of molecular weight between the two oocytes to Adam's rib

The Female Oocyte:

The female Oocyte, it cannot give but a female embryo; **figure (4)**. Its chromosome X* is of a higher molecular weight than the chromosome X found in the male Oocyte. This dissimilarity is due to the famous Adam's Rib (* = Adam's Rib), which might be integrated in (shown here), or is attached to, or just lies beside the host chromosome X.




Figure (4-a)

"The female Oocyte cannot give but a female embryo "

Fecundated by the compatible spermatozoid (i.e. FO is fecundated by spermatozoid X), the process of creation continues as it should be to give a female baby.

FEMALE OOCYTE




Figure (4-b)

"The female Oocyte cannot give but a female embryo "

Fecundated by incompatible spermatozoid (i.e. FO is fecundated by spermatozoid Y), the process of creation is eventually aborted.

The Male Oocyte:

The male Oocyte, it cannot give but a male embryo. If it is fecundated by a compatible spermatozoid (i.e. spermatozoid Y), the process of creation goes on. Provided, it is fertilized by an incompatible spermatozoid (i.e. the spermatozoid X), the process of creation is eventually aborted: *figure (5)*.




Figure (5-a)

"The male Oocyte cannot give but a male embryo "

If it is fecundated by a compatible spermatozoid (i.e. spermatozoid Y), the process of creation goes on to give a male baby.




Figure (5-b)

"The male Oocyte cannot give but a male embryo "

Provided, it is fertilized by an incompatible spermatozoid (i.e. the spermatozoid X), the process of creation is eventually aborted.







The Conclusion:


















Regardless of the diversity of the autosomal genes, I do believe in the presence of two types of *oocytes*. One type is the *Female Oocyte (FO)*; the progenitor of *female embryo*. While, the other type is the *Male Oocyte (MO)*; the progenitor of *male embryo*.

The *female oocytes (FOs)* do not give but the *female babies*. While, the *male oocytes (MOs)* give only *male babies*. Moreover, the *FO* could not be fecundated but by the *spermatozoid X*. And the *MO* can only receive the *spermatozoid Y*.

*Fecundated by incompatible spermatozoid
(i.e. FO is fecundated by spermatozoid Y or MO is fecundated by spermatozoid X),
the process of creation is eventually aborted.*

In another context, one could read:

- [Neural Conduction, Personal View vs. International View \(Innovated\)](#)
-  [Neural Conduction, Action Pressure Waves \(Innovated\)](#)
-  [Neural Conduction, Action Potentials \(Innovated\)](#)
-  [Neural Conduction, Action Electrical Currents \(Innovated\)](#)
-  [The Function of Action Potentials \(Innovated\)](#)
-  [The Three Phases of Neural Conduction](#)
-  [Neural Conduction in the Synapse \(Innovated\)](#)

-  [Sensory Receptors](#)
- [Nodes of Ranvier, the Equalizers \(Innovated\)](#)
-  [Nodes of Ranvier, the Functions \(Innovated\)](#)
-  [Nodes of Ranvier, Function N1 \(Innovated\)](#)
-  [Nodes of Ranvier, Function N2 \(Innovated\)](#)
-  [Nodes of Ranvier, Function N3 \(Innovated\)](#)
- [The Philosophy of Pain, Pain Comes First! \(Innovated\)](#)
- [The Philosophy of Form \(Innovated\)](#)
- [Spinal Injury, pathology of Spinal Shock, Pathology of Hyperreflexia](#)
-  [Spinal Shock \(Innovated\)](#)
-  [The Clonus \(Innovated\)](#)
-  [Hyperactivity Hyperreflexia \(Innovated\)](#)
-  [Hyperreflexia, Extended Sector of Reflex](#)
-  [Hyperreflexia, Bilateral Responses](#)
-  [Hyperreflexia, Multiple Responses](#)
- [Nerve Conduction Study, Wrong Hypothesis is the Origin of Misinterpretation \(Innovated\)](#)
-  [Wallerian Degeneration \(Innovated\)](#)
-  [Neural Regeneration \(Innovated\)](#)
- [Wallerian Degeneration Attacks Motor Axons, While Avoids Sensory Axons](#)
-  [Barr Body, the Whole Story \(Innovated\)](#)
-  [Boy or Girl, Mother Decides!](#)
-  [Adam's Rib and Adam's Apple, Two Faces of one Sin](#)
-  [The Black Hole is a \(the\) Falling Star?](#)

28/12/2019